

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	"7406522".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:10
L2	2	"20040264395".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L3	94679	(remot\$5 and configur\$5 and wireless) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L4	30	(remot\$5 and configur\$5 and wireless).ti. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L6	1068	(remot\$5 and configur\$5 and (wireless or WLAN)).ab. and (@rlad<"20040331" or @ad<"20040331") not L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L7	93	(remot\$5 and management and configur\$5 and (wireless or WLAN)).ab. and (@rlad<"20040331" or @ad<"20040331") not L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L8	7	(remot\$5 with management with configur\$5 with (wireless or WLAN)).ab. and (@rlad<"20040331" or @ad<"20040331") not L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L9	83	(remot\$5 with management with configur\$5 with (wireless or WLAN)) and (@rlad<"20040331" or @ad<"20040331") not (L4 or L8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L10	4	(remot\$5 with configur\$5 with IP with address).ti. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21

L11	26	(remot\$5 with configur\$5 with IP with address).ab. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L12	2	"6385648".pn. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L13	0	(forward with (packets or cell or message) with "not" with intended) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L14	0	((forward with (packets or cell or message)) same ("not" with intended)) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L15	3137	((forward with (packets or cell or message)) same (intended)) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L16	1512	((forward with (packets or cell or message)) same (intended) same network) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L17	582	((forward with (packets or cell or message)) with (intended) same network) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L18	35	((forward with (packets or cell or message)) with (intended) same network same pass) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L19	68	(mobile with device with router).ti. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L20	112	(mobile with device with relay).ti. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21

L21	30	(mobile with (device or unit or phone) with relay with network).ti. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L22	2	"5481539".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L23	2	"20040264395".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L24	2	"6385648".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L26	65	(device with discovery with announcement) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L28	1	((device with discovery with announcement) same (hardware )) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L30	13	((device with discovery with announcement) same (system )) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L33	1185729	(configuration with message with first with network with second network) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L34	198	(configuration with message with first with network with second with network) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L35	4	(configuration with message with first with network with second with network) and (remote with configuration). ab. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21

L36	4	((configuration with message) same (first with network) same (second with network)) and (remote with configuration).ab. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L37	3	((configuration with message) same (first adj2 network) same (second adj2 network)) and (remote with configuration).ab. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L38	83	((configuration with message) same (first adj2 network) same (second adj2 network)) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L39	33	((configuration adj2 message) same (first adj2 network) same (second adj2 network)) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L41	2	((device with discovery with announcement)) and ((first adj2 network) same (second adj2 network)) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L42	799	(remot\$4 and configur\$5).ti. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L43	12167	((remot\$4 and configur\$5).ti. or (remot\$4 and configur\$5).ab.) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L44	1028	((remot\$4 and configur\$5).ti. or (remot\$4 adj configur\$5).ab.) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L45	5393	((remot\$4 and configur\$5).ti. or (remot\$4 with configur\$5).ab.) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21

L46	916	((remot\$4 and configur\$5). ti. or ((remot\$4 with configur \$5).ab.) and (configuration with packet)) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L47	841	((remot\$4 and configur\$5). ti. or ((remot\$4 with configur \$5) and (configuration with packet)).ab.) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L48	804	((remot\$4 and configur\$5). ti. or ((remot\$4 with configur \$5) and (configuration with packet) and monitor\$4).ab.) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L49	799	((remot\$4 and configur\$5). ti. or ((remot\$4 with configur \$5) and (configuration with packet) and monitor\$4 and (filter\$4)).ab.) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L50	799	((remot\$4 and configur\$5). ti.) or (((remot\$4 with configur\$5) and (configuration with packet) and monitor\$4 and (filter \$4)).ab.)) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L51	799	((remot\$4 and configur\$5). ti.) or (((remot\$4 with configur\$5) and (configuration with packet) and monitor\$4 and (filter\$4) and unconfigur\$3).ab.)) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L54	27	((remot\$4 with configur\$5) and (configuration with packet) and monitor\$4 and (filter\$4) and unconfigur \$3))) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L55	213	(remot\$4 and configur\$4 and unconfigure\$4 and packet) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21

L57	2	(remot\$4 and configur\$4 and unconfigure\$4 ).ab. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L58	116	(remot\$4 and configur\$4 and router ).ab. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L59	21	(remot\$4 with configur\$4 with router ).ab. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L60	505	(remot\$4 with configur\$4 with router ) not L50 and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L61	120496	(remot\$4 7with configur\$4 with router ).ti. not L50 and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L62	121295	(remot\$4 7with configur\$4 with router ).ti. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L64	8	(remot\$4 adj2 configur\$4 adj2 router ) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L65	2	"6012088".pn. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L66	1	(remot\$4 adj2 reconfigur\$4 adj2 router ) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L69	867311	(remot\$4 wiht modif\$7 with router) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L70	44	(remot\$4 with modif\$7 with router) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21

L71	116	(remot\$4 with updat\$5 with router) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L72	13	(remot\$4 with updat\$5 with router).ab. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L73	2	"7349327".pn. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L75	103	(remot\$4 with updat\$5 with router) and (@rlad<"20040331" or @ad<"20040331") not L72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L76	2	(remot\$4 with updat\$5 with router).ti. and (@rlad<"20040331" or @ad<"20040331") not L72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L77	921	((monitor\$4 or detect\$4) with (configuration) with packet) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L78	16	((monitor\$4 or detect\$4) adj2 (configuration) adj2 packet) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L79	641	(filter\$4 with configuration with packet) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L80	33	(filter\$4 with configuration with packet).ab. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L81	5	(remot\$4 with configuration with router).ti. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L82	2	"20040083298".pn. and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21

L83	54	(remot\$4 with (updat\$4 or modif\$5 or configur\$5) with NAT) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L84	12	(US-20030061315-\$ or US-20060168238-\$ or US-20040088385-\$ or US-20040107292-\$ or US-20050047326-\$ or US-20040083298-\$).did. or (US-6012088-\$ or US-7369996-\$ or US-7349327-\$ or US-6353854-\$).did. or (US-20020191211-\$ or WO-02098106-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2009/07/01 16:21
L85	2	(OS or (operatiing adj system)) and ((US-20030061315-\$ or US-20060168238-\$ or US-20040088385-\$ or US-20040107292-\$ or US-20050047326-\$ or US-20040083298-\$).did. or (US-6012088-\$ or US-7369996-\$ or US-7349327-\$ or US-6353854-\$).did. or (US-20020191211-\$ or WO-02098106-\$).did.)	US-PGPUB; USPAT; DERWENT	OR	ON	2009/07/01 16:21
L86	7856	(hardware adj architecture) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L87	578	((hardware adj architecture) with (operating adj system)) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L92	1	((configuration adj (packet or message)) same2 ((hardware adj architecture) same (operating adj system))) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L93	257	((configuration adj (packet or message)) same2 ((hardware adj architecture) same ((operating adj system)) or OS)) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21



L94	257	((configuration adj (packet or message)) same2 ((hardware adj architecture) same ((operating adj system)) or "OS")) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L95	122	((configuration adj (packet or message)) same ((hardware adj architecture) same ((operating adj system)) or "OS")) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L96	34	((configuration adj (packet or message)) same ((hardware adj architecture) same ((operating adj system)) or "OS")) and ((operating adj system) and "OS") and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L98	207	((device adj discovery) with (message or packet)) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L100	1	((device adj discovery) with (message or packet)) same (hardware same ("OS" or (operating adj system)))) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L101	2	"20050286722".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L102	6	((device adj discovery) with (message or packet or announcement)) same (("OS" or (operating adj system)))) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L103	176	((discovery) with (message or packet or announcement)) same (("OS" or (operating adj system)))) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21

L104	26	(( (discovery) with (message or packet or announcement)) same (( "OS" or (operating adj system)) with type)) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L107	31	("null" with (RSVP)) and (@rlad<"20040331" or @ad<"20040331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L108	2	"20020191548".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:21
L109	2	"7366101".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:36
L110	2	"6286038".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:50
L111	2	"5819042".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:52
L112	2	"6041347".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:53
L113	2	"20040199611 ".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:55
L115	2	"20060080425".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 16:57

7/ 1/ 2009 5:13:32 PM

C:\ Documents and Settings\ sahed\ My Documents\ EAST\ Workspaces\ 10815405-Sept-22-2008-  
Chu\_Case.wsp